

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	967	726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 22:39
L2	18	(business adj logic) and (pluggable plug-able changeable replaceable switchable) same (securit\$3 rule\$1 polic\$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 22:39
L3	207	726/26.ccls. and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 22:39
L4	2	726/26.ccls. and @ay <="2000" and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 22:39
S1	6	((("6047377") or ("5265221") or ("6473791")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:11
S2	6	((("6519766") or ("6529948") or ("5970244")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/25 08:13
S4	0	bussiness adj logic same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S5	358	business adj logic same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S6	0	bussiness adj logic same securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S7	0	bussiness adj logic andsecurit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15

S8	0	bussiness adj logic and securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S9	0	bussiness adj logic and securit\$3 same polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S10	352	business adj logic and securit\$3 same polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:15
S11	249	business adj logic and securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 08:16
S12	19	business adj logic same securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:53
S13	2	pluggable near3 security adj polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:54
S14	6691	security near3 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:54
S15	174	security near3 object and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 09:54
S16	174	security near3 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 11:33
S17	133	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:16

S18	35	murren-\$-\$.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:14
S19	19136	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:36
S20	863	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:36
S21	2	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (high adj level near3 permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:36
S22	104	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:04
S23	104	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3) and S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:33
S24	68	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:47
S25	50	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:58

S26	114	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 13:59
S27	51	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:14
S28	12	09/135397	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:09
S29	12	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3) and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:10
S30	12	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 request\$3) and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:12
S31	2	09/760540	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:12
S32	4	"6792462"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:12

S33	59	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj (layer logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:15
S34	46	S33 not S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:14
S35	2	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj (layer logic) and business adj layer and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:29
S36	190	business adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:16
S37	92	business adj layer and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:16
S38	89	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:17
S39	58	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and (securit\$3 polic\$3 rule permission) adj (object polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:19

S40	17	security near2 object and (request\$3 with (business adj logic)) and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and (securit\$3 polic\$3 rule permission) adj (object polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 15:23
S41	39300	(Rule security permission) near2 (based policy object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:06
S42	197	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:06
S43	98	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:09
S44	63	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission) and granul\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:09
S45	56	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission) and granul\$ and object adj orient\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 16:10
S46	56	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$) and S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:55
S47	138	(securit\$3 polic\$3 rule permission) with business adj (logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:31

S48	53	(securit\$3 polic\$3 rule permission) with business adj (logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission) and granul\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:33
S49	85	S47 not S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:36
S50	85	S47 not S48 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:36
S51	23	(US-20010047282-\$ or US-20020065879-\$ or US-20030154172-\$ or US-20030145124-\$ or US-20030115487-\$ or US-20030023473-\$ or US-20030009357-\$).did. or (US-6473791-\$ or US-6047377-\$ or US-5265221-\$ or US-6820082-\$ or US-6016477-\$ or US-6385724-\$ or US-6487665-\$ or US-6523027-\$ or US-6560592-\$ or US-6574736-\$ or US-6601233-\$ or US-6792462-\$ or US-6442620-\$ or US-6473748-\$ or US-6779155-\$).did. or (US-6604198-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/05/25 17:54
S52	23	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$) and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 17:58
S53	23	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$ test\$3) and S51	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:34
S54	3024	713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:34

S56	1156	707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/25 19:34
S57	6	((("6047377") or ("5265221") or ("6473791")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:07
S58	6	((("6519766") or ("6529948") or ("5970244")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/26 17:07
S60	418	business adj logic same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S65	432	business adj logic and securit\$3 same polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S66	310	business adj logic and securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S67	23	business adj logic same securit\$3 with polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S68	2	pluggable near3 security adj polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S69	7289	security near3 object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S70	200	security near3 object and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07

S71	200	security near3 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S72	152	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S73	37	murren-\$-.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S74	22493	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S75	1022	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S76	2	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (high adj level near3 permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S77	118	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S78	118	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3) and S77	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S79	77	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07

S80	56	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj object and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S81	140	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S82	52	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user)and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj logic and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S83	12	09/135397	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S84	12	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3) and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S85	12	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 request\$3) and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07

S86	2	09/760540	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S87	4	"6792462"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S88	62	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj (layer logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S89	48	S88 not S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S90	2	(securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and business adj (layer logic) and business adj layer and (securit\$3 polic\$3 rule permission) adj (object module logic) same (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S91	256	business adj layer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S92	134	business adj layer and business adj logic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S93	101	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07

S94	66	security near2 object and business adj logic and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and (securit\$3 polic\$3 rule permission) adj (object polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S95	20	security near2 object and (request\$3 with (business adj logic)) and (user permission access\$3 right level application request\$3 test\$3 check\$3) and (securit\$3 polic\$3 rule permission) with (assign\$3 set\$4 configur\$3) with (user client applicat\$3) and (securit\$3 polic\$3 rule permission) adj (object polic\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S96	44942	(Rule security permission) near2 (based policy object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S97	221	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S98	110	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S99	68	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission) and granul\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S100	60	(Rule security permission) near2 (based policy object) and request\$3 with (business adj logic) and (validat\$3 check\$3) with (rule security permission) and user with (rule security permission) and granul\$ and object adj orient\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07

S10 1	60	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$) and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S10 2	169	(securit\$3 polic\$3 rule permission) with business adj (logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S10 3	57	(securit\$3 polic\$3 rule permission) with business adj (logic) and (securit\$3 polic\$3 rule permission) adj (object module logic) and (validat\$3 check\$3 verif\$8) with (securit\$3 polic\$3 rule permission) and granul\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S10 4	112	S102 not S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S10 5	112	S102 not S103 and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S10 6	23	(US-20010047282-\$ or US-20020065879-\$ or US-20030154172-\$ or US-20030145124-\$ or US-20030115487-\$ or US-20030023473-\$ or US-20030009357-\$).did. or (US-6473791-\$ or US-6047377-\$ or US-5265221-\$ or US-6820082-\$ or US-6016477-\$ or US-6385724-\$ or US-6487665-\$ or US-6523027-\$ or US-6560592-\$ or US-6574736-\$ or US-6601233-\$ or US-6792462-\$ or US-6442620-\$ or US-6473748-\$ or US-6779155-\$).did. or (US-6604198-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/12/26 17:07
S10 7	23	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$) and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07

S108	23	(securit\$3 polic\$3 rule permission assign\$3 set\$4 configur\$3 user client applicat\$3 business logic securit\$3 polic\$3 rule permission object validat\$3 check\$3 verif\$8 authoriz\$6 allow\$3 fail\$3 based request\$3 granul\$ test\$3) and S106	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S109	4	713/200.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 22:37
S110	1332	707/9.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:07
S111	2	"6820082"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:37
S112	0	bussiness adj logic and securit\$3 and rule\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:38
S113	1527	business adj logic and securit\$3 and rule\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:39
S114	746	business adj logic and securit\$3 and rule\$1 and polic\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:39
S115	149	business adj logic and securit\$3 and rule\$1 and polic\$3 and (pluggable plug-able changeable replaceable switchable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:42
S116	52	business adj logic and securit\$3 and rule\$1 and polic\$3 and (pluggable plug-able changeable replaceable switchable) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:43
S117	0	(business adj logic) same (pluggable plug-able changeable replaceable switchable) and securit\$3 and rule\$1 and polic\$3 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:43

S11 8	0	(business adj logic) and (pluggable plug-able changeable replaceable switchable) same securit\$3 and rule\$1 and polic\$3 and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:43
S11 9	18	(business adj logic) and (pluggable plug-able changeable replaceable switchable) same (securit\$3 rule\$1 polic\$3) and @ay <= "2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/26 17:43